

Bibliography

- [1] Katsunobu Oide. Synchrotron-radiation limit on the focusing of electron beams, *Phys. rev. lett.*, 61:1713–1715, 15, October 1988, DOI: 10.1103/PhysRevLett.61.1713 (see pp. 17, 47, 48, 51).
- [2] M. Sands. EMITTANCE GROWTH FROM RADIATION FLUCTUATIONS, *Slac pubs and reports*, 1985 (see pp. 17, 39, 41).
- [3] J.P. Delahaye, G. Guignard, T Raubenheimer, and I. Wilson. Scaling laws for e+/e- linear colliders, *Nuclear instrumentation and methods in physics research section a: accelerators, spectrometers, detectors and associated equipment*, 421:369–405, 3, February 1999 (see p. 21).
- [4] K. L. Brown. A Conceptual Design of Final Focus Systems for Linear Colliders, *Slac*, 1987 (see p. 29).
- [5] Hector Garcia Morales, Rogelio Tomas Garcia, and Yuri Kubyshin. Comparative study of Final Focus Systems for CLIC and other luminosity enhancement studies for future linear colliders, Presented 16 Jan 2015, PhD thesis, Barcelona, Polytechnic U., 2014 (see p. 29).
- [6] M Aicheler, P Burrows, M Draper, T Garvey, P Lebrun, K Peach, N Phinney, H Schmickler, D Schulte, and N Toge. A Multi-TeV Linear Collider Based on CLIC Technology: CLIC Conceptual Design Report, technical report (CERN-2012-007. SLAC-R-985. KEK-Report-2012-1. PSI-12-01. JAI-2012-001), Geneva: CERN, 2012 (see pp. 30, 48, 49).
- [7] K. L. Brown. Basic Optics of the SLC Final Focus System, *Slac*, 1988 (see p. 34).
- [8] Raimondi P. and Seryi A. A Novel Final Focus Design for Future Linear Colliders. *Slac*, 2000 (see pp. 34, 60).
- [9] Hector Garcia Morales and Rogelio Tomas Garcia. Final-focus systems for multi-tev linear colliders, *Phys. rev. st accel. beams*, 17:101001, 10, October 2014, DOI: 10.1103/PhysRevSTAB.17.101001 (see p. 34).
- [10] G. Xu. General conditions for self-cancellation of geometric aberrations in a lattice structure, *Phys. rev. st accel. beams*, 8:104002, 10, October 2005, DOI: 10.1103/PhysRevSTAB.8.104002 (see pp. 35, 52).
- [11] MAD-X, <http://mad.web.cern.ch/mad/> Link consulted 2015.04.22 (see p. 36).
- [12] *A Recipe for Linear Collider Final Focus System Design*. Proceedings of PAC2003, 2003 (see p. 36).
- [13] R. Tomás. Nonlinear optimization of beam lines, *Phys. rev. st accel. beams*, 9:081001, 8, August 2006, DOI: 10.1103/PhysRevSTAB.9.081001 (see pp. 36, 48).
- [14] R Tomás. MAPCLASS: a code to optimize high order aberrations, technical report (AB-Note-2006-017. CERN-AB-Note-2006-017), CERN, January 2007 (see pp. 36, 48).

- [15] D Martinez, A Rosam, R Tomas, and R De Maria. MAPCLASS2: a code to aid the optimisation of lattice design, *Cern note*, November 2012 (see pp. 36, 48).
- [16] Mapclass2, <https://github.com/pylhc/MapClass2> Link consulted 2014.01.13 (see pp. 36, 48).
- [17] Placet, <https://savannah.cern.ch/projects/placet/> Link consulted 2013.04.17 (see pp. 39, 41, 50).
- [18] M. Sands. The Physics of Electron Storage Rings: An Introduction, *Slac pubs and reports*, 1970 (see p. 39).
- [19] Javier Barranco Garcia, Eduardo Marin Lacoma, and Rogelio Tomas Garcia. Luminosity studies in a traveling waist regime in the compact linear collider, *Phys. rev. st accel. beams*, 16:041001, 4, April 2013, DOI: 10.1103/PhysRevSTAB.16.041001 (see p. 41).
- [20] Chris Adolphsen, Maura Barone, Barry Barish, Karsten Buesser, Philip Burrows, John Carwardine, Jeffrey Clark, Hélène Mainaud Durand, Gerry Dugan, Eckhard Elsen, Atsushi Enomoto, Brian Foster, Shigeki Fukuda, Wei Gai, Martin Gastal, Rongli Geng, Camille Ginsburg, Susanna Guiducci, Mike Harrison, Hitoshi Hayano, Keith Kershaw, Kiyoshi Kubo, Victor Kuchler, Benno List, Wanming Liu, Shinichiro Michizono, Christopher Nantista, John Osborne, Mark Palmer, James McEwan Paterson, Thomas Peterson, Nan Phinney, Paolo Pierini, Marc Ross, David Rubin, Andrei Seryi, John Sheppard, Nikolay Solyak, Steinar Stapnes, Toshiaki Tauchi, Nobu Toge, Nicholas Walker, Akira Yamamoto, and Kaoru Yokoya. The International Linear Collider Technical Design Report - Volume 3.I: Accelerator R&D in the Technical Design Phase, technical report (arXiv:1306.6353. ANL-HEP-TR-13-20. BNL-100603-2013-IR. IRFU-13-59. CERN-ATS-2013-037. Cockcroft-13-10. CLNS-13-2085. DESY-13-062. FERMILAB-TM-2554. IHEP-AC-ILC-2013-001. ILC-REPORT-2013-040. INFN-13-04-LNF. JAI-2013-001. JINR-E9-2013-35. JLAB-R-2013-01. KEK-Report-2013-1. KNU-CHEP-ILC-2013-1. LLNL-TR-635539. SLAC-R-1004. ILC-HiGrade-Report-2013-003), Comments: See also <http://www.linearcollider.org/ILC/TDR> . The full list of signatories is inside the Report, Geneva: KEK, June 2013 (see pp. 48, 49).
- [21] Maxima, <http://maxima.sourceforge.net/> Link consulted 2013.02.19 (see p. 49).
- [22] Mathematica, <http://www.wolframalpha.com/> Link consulted 2013.02.19 (see p. 49).
- [23] R. Tomás. Overview of the compact linear collider, *Phys. rev. st accel. beams*, 13:014801, 1, January 2010, DOI: 10.1103/PhysRevSTAB.13.014801 (see p. 49).
- [24] Daniel Schulte. Beam-Beam Simulations with GUINEA-PIG, March 1999 (see p. 52).
- [25] K. Kubo et al. Extremely low vertical emittance beam in accelerator test facility at KEK, *Phys.rev.lett.*, 88:194801, 2002, DOI: 10.1103/PhysRevLett.88.194801 (see p. 57).
- [26] Y. Honda, K. Kubo, S. Anderson, S. Araki, K. Bane, A. Brachmann, J. Frisch, M. Fukuda, K. Hasegawa, H. Hayano, L. Hendrickson, Y. Higashi, T. Higo, K. Hirano, T. Hirose, K. Iida, T. Imai, Y. Inoue, P. Karataev, M. Kuriki, R. Kuroda, S. Kuroda, X. Luo, D. McCormick, M. Matsuda, T. Muto, K. Nakajima, Takashi Naito, J. Nelson, M. Nomura, A. Ohashi, T. Omori, T. Okugi, M. Ross, H. Sakai, I. Sakai, N. Sasao, S. Smith, Toshikazu Suzuki, M. Takano, T. Taniguchi, N. Terunuma, J. Turner, N. Toge, J. Urakawa, V. Vogel, M. Woodley, A. Wolski, I. Yamazaki, Yoshio Yamazaki, G. Yocky, A. Young, and F. Zimmermann. Achievement of ultralow emittance beam in the accelerator test facility damping ring, *Phys. rev. lett.*, 92:054802, 5, February 2004, DOI: 10.1103/PhysRevLett.92.054802 (see p. 57).
- [27] M. Berndt, V. Bressler, K. Brown, F. Bulos, K. Bunnel, et al. Final focus test beam: Project design report, 1991 (see p. 57).

- [28] S. Araki et al. Proposal of the Next Incarnation of Accelerator Test Facility at KEK for the International Linear Collider, 2005 (see p. 57).
- [29] ATF2 Collaboration. ATF2 Proposal, *SLAC*, SLAC-R-771, 2005 (see pp. 57, 58, 62).
- [30] B.I. Grishanov et al. ATF2 Proposal. Vol. 2, technical report, ATF2 Group, 2006, pages 1–43 (see p. 57).
- [31] Maria del Carmen Alabau Pons. Optics studies and performance optimization for a future linear collider: final focus system for the e-e- option (ilc) and damping ring extraction line (atf), PHD Thesis, Departamento de Fisica Atomica, Molecular I Nuclear, Universitat de Valencia, 2010 (see p. 58).
- [32] Yves Renier. Implementation and validation of the linear collider final focus prototype : ATF2 at KEK (Japan), PhD thesis, Universite Paris XI Orsay, 2010 (see pp. 58, 61, 62).
- [33] M D Woodley and P E Emma. Measurement and Correction of Cross-Plane Coupling in Transport Lines, (physics/0008194. SLAC-PUB-8581):3 p, August 2000 (see p. 60).
- [34] T. Okugi, S. Araki, P. Bambade, K. Kubo, S. Kurado, M. Masuzawa, E. Marin, T. Naito, T. Tauchi, N. Terunuma, R. Tomas, J. Urakawa, G. White, and M. Woodley. Linear and second order optics corrections for the kek accelerator test facility final focus beam line, *Phys. rev. st accel. beams*, 17:023501, 2, February 2014, DOI: 10.1103/PhysRevSTAB.17.023501 (see p. 61).
- [35] PATECKI, M. and others. Ultra-low beta study, CLIC Workshop 2015, 1 2015 (see p. 61).
- [36] Tsumoru Shintake. Proposal of a nanometer beam size monitor for e+e- linear colliders, *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, 311(3):453–464, 1992, DOI: [http://dx.doi.org/10.1016/0168-9002\(92\)90641-G](http://dx.doi.org/10.1016/0168-9002(92)90641-G) (see p. 61).
- [37] T. Shintake et al. Experiments of nanometer spot size monitor at FFTB using laser interferometry, Contributed paper at 1995 Particle Accelerator Conference and International Conference on High-Energy Accelerators, May 1 - 5, 1995, Dallas, Texas, U.S.A. (see p. 62).
- [38] J. Yan. Precise measurement of nanometer scale electron beam size using laser interference by shintake monitor, Ph.D. Thesis, Komamiya Laboratory, Graduate School of Science, The University of Tokyo, 2014 (see p. 62).
- [39] H. Hayano. Wire scanners for small emittance beam measurement in ATF, 2000, arXiv: [physics/0008084](https://arxiv.org/abs/physics/0008084) (see p. 62).
- [40] PATECKI, M. and others. ATF2 December run ground motion study, CLIC Workshop 2015, 1 2015 (see p. 62).
- [41] *TOWARDS INTERNATIONAL LINEAR COLLIDER: EXPERIMENTS AT ATF2*, Proceedings of IPAC2014, 2014 (see p. 64).
- [42] K. Kubo. ATF2 progress report, CLIC Workshop 2015, January 2015 (see p. 64).
- [43] P. Bambade, R. Erickson, Wayne A. Koska, W. Kozanecki, N. Phinney, et al. Observation of Beam-beam Deflections at the Interaction Point of the SLAC Linear Collider, *Phys.rev.lett.*, 62:2949, 1989, DOI: 10.1103/PhysRevLett.62.2949 (see p. 64).
- [44] *IN VACUUM HIGH ACCURACY MECHANICAL POSITIONING SYSTEM OF NANO RESOLUTION BEAM POSITION MONITOR AT THE INTERACTION POINT OF ATF2*, Proceedings of IPAC2013, 2013 (see pp. 67, 104).
- [45] T. Nakamura. Development of beam-position monitors with high position resolution, Master Thesis, Department of Physics, Graduate School of Science, The University of Tokyo, 2008 (see pp. 68, 70, 71).

- [46] Y. I. Kim, R. Ainsworth, A. Aryshev, S. T. Boogert, G. Boorman, J. Frisch, A. Heo, Y. Honda, W. H. Hwang, J. Y. Huang, E-S. Kim, S. H. Kim, A. Lyapin, T. Naito, J. May, D. McCormick, R. E. Mellor, S. Molloy, J. Nelson, S. J. Park, Y. J. Park, M. Ross, S. Shin, C. Swinson, T. Smith, N. Terunuma, T. Tauchi, J. Urakawa, and G. R. White. Cavity beam position monitor system for the accelerator test facility 2, *Phys. rev. st accel. beams*, 15:042801, 4, April 2012, DOI: [10.1103/PhysRevSTAB.15.042801](https://doi.org/10.1103/PhysRevSTAB.15.042801) (see p. 68).
- [47] T. Shintake and and. Development Of Nanometer Resolution Rf-Bpms:341–345, 1998 (see p. 70).
- [48] N. Blaskovic. Position to angle sensitivity, ATF IP BPM Meeting, January 2015 (see p. 75).
- [49] Yoichi Inoue, Hitoshi Hayano, Yosuke Honda, Toshikazu Takatomi, Toshiaki Tauchi, Junji Urakawa, Sachio Komamiya, Tomoya Nakamura, Tomoyuki Sanuki, Eun-San Kim, Seung-Hwan Shin, and Vladimir Vogel. Development of a high-resolution cavity-beam position monitor, *Phys. rev. st accel. beams*, 11:062801, 6, June 2008, DOI: [10.1103/PhysRevSTAB.11.062801](https://doi.org/10.1103/PhysRevSTAB.11.062801) (see p. 86).
- [50] T. Nakamura. Development of beam-position monitors with high position resolution, Master’s thesis, Tokyo, Japan: Departement of Physics, Graduate School of Science, The University of Tokyo, 2008 (see p. 86).
- [51] P. Burrows and FONT. Bunch-bunch feedback and IP beam stabilization, 18th ATF2 Project Meeting, February 2015 (see p. 89).
- [52] PLASSARD, F. and others. Long L* FFS options for ILC and CLIC, CLIC Workshop 2015, 1 2015 (see p. 92).
- [53] PLASSARD, F. and others. CLIC plans to increase L* and possible studies in ATF2, 18th ATF2 Project Meeting, 2 2015 (see p. 92).
- [54] Ca lab (labview + epics), http://www-csr.bessy.de/control/SoftDist/CA_Lab. Link consulted 2014.11.06. (see p. 100).
- [55] *The High Position Resolution Cavity BPMs Developments and Measurements for ILC Final Focus System*, Proceedings of IPAC2014, 2014 (see p. 104).